

JB4PLUS

"JB4PLUS": EQUALIZED JUNCTION BOX WITH OVERVOLTAGE PROTECTION, UP TO 4 LOAD CELLS



Junction box with 4 inputs and protection IP67 suitable for outdoor environments. It can be used as equalization or simple junction box of 2, 3 or 4 load cells. Screw terminal boards to facilitate the connection and signal adjustment trimmer, for an accurate and reliable equalization. The protection circuit protects from lightning and overvoltage.

Working in cooperation with:

UAB DESKA

PRAMONES 5 - LT-94102 - KLAIPEDA - LITHUANIA
Tel. 00370-46-381089 Fax. 00370-445-76466
info@deska.lt

**The best solution
for advanced industrial
applications**

TECHNICAL FEATURES

- Case in ABS. Protection degree: IP67.
- Maximum input voltage: 24Vdc.
- Maximum input current: 700mA.
- Maximum input load cell signal: 1000mV.
- Peak Pulse Current: 15kA.
- Temperature effect: 50ppm/°C.
- Dimensions (lxwxh): 120x80x55mm.



www.diniargeo.com



“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO
FRANCE sarl
Nogent-sur-Marne

DINI ARGEO
GMBH
Sinsheim - Germany

DINI ARGEO
UK Ltd
Taunton - United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
Shanghai - China

DINI ARGEO
WEIGHBRIDGES
Calto (RO) – Italy



HEAD OFFICE
Via Della Fisica, 20
41042 Spezzano di Fiorano Modena - Italy



UAB DESKA

PRAMONES 5 - LT-94102 - KLAIPEDA - LITHUANIA

Tel. 00370-46-381089 Fax. 00370-445-76466

info@deska.lt

SALES AND TECHNICAL ASSISTANCE SERVICE